



# FLACHPROFILE

EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
8 x 5	0,110	●
10 x 2	0,056	●
10 x 3	0,084	●
10 x 4	0,112	●
10 x 5	0,141	●
10 x 6	0,168	●
10 x 8	0,224	●
12 x 3	0,101	○
12 x 4	0,136	●
12 x 5	0,168	●
12 x 6	0,201	●
12 x 8	0,269	●
12 x 10	0,336	●
15 x 2	0,084	●
15 x 3	0,127	●
15 x 4	0,168	●
15 x 5	0,211	●
15 x 6	0,252	●
15 x 8	0,336	●
15 x 10	0,420	●
15 x 12	0,504	●
18 x 4	0,202	○
20 x 2	0,112	●
20 x 3	0,168	●
20 x 4	0,224	●
20 x 5	0,280	●
20 x 6	0,336	●
20 x 8	0,448	●
20 x 10	0,560	●
20 x 12	0,672	●
20 x 15	0,840	●
25 x 2	0,140	●
25 x 3	0,210	●
25 x 4	0,280	●
25 x 5	0,350	●
25 x 6	0,420	●
25 x 8	0,560	●
25 x 10	0,700	●



# FLACHPROFILE

EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
25 x 12	0,840	●
25 x 15	1,050	●
25 x 20	1,400	●
30 x 2	0,168	●
30 x 3	0,252	●
30 x 4	0,336	●
30 x 5	0,420	●
30 x 6	0,504	●
30 x 8	0,672	●
30 x 10	0,840	●
30 x 12	1,008	●
30 x 15	1,260	●
30 x 20	1,680	●
30 x 25	2,100	●
35 x 2	0,196	●
35 x 3	0,295	●
35 x 4	0,392	●
35 x 5	0,491	●
35 x 6	0,588	●
35 x 8	0,784	●
35 x 10	0,980	●
35 x 12	1,176	●
35 x 15	1,472	●
35 x 20	1,960	●
35 x 25	2,451	●
40 x 2	0,224	●
40 x 3	0,336	●
40 x 4	0,448	●
40 x 5	0,561	●
40 x 6	0,672	●
40 x 8	0,896	●
40 x 10	1,121	●
40 x 12	1,344	●
40 x 15	1,681	●
40 x 20	2,241	●
40 x 25	2,801	●
40 x 30	3,361	●
45 x 3	0,379	○



# FLACHPROFILE

EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
45 x 4	0,504	●
45 x 5	0,631	●
45 x 6	0,756	○
45 x 8	1,008	○
45 x 10	1,260	●
45 x 15	1,891	●
45 x 20	2,520	○
45 x 25	3,151	○
45 x 30	3,780	○
50 x 2	0,281	●
50 x 3	0,420	●
50 x 4	0,561	●
50 x 5	0,700	●
50 x 6	0,841	●
50 x 8	1,121	●
50 x 10	1,401	●
50 x 12	1,681	●
50 x 15	2,100	●
50 x 20	2,801	●
50 x 25	3,500	●
50 x 30	4,201	●
50 x 35	4,900	●
50 x 40	5,601	●
55 x 5	0,771	○
55 x 6	0,924	○
55 x 8	1,200	○
55 x 10	1,540	●
60 x 2	0,336	○
60 x 3	0,504	●
60 x 4	0,672	●
60 x 5	0,841	●
60 x 6	1,008	●
60 x 8	1,344	●
60 x 10	1,681	●
60 x 12	2,016	●
60 x 15	2,521	●
60 x 20	3,361	●
60 x 25	4,201	●



# FLACHPROFILE

EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
60 x 30	5,041	●
60 x 35	5,881	○
60 x 40	6,721	●
60 x 50	8,401	●
65 x 5	0,910	○
65 x 6	1,092	○
65 x 10	1,820	●
70 x 2	0,392	○
70 x 3	0,588	○
70 x 4	0,784	●
70 x 5	0,980	●
70 x 6	1,176	○
70 x 8	1,568	●
70 x 10	1,960	●
70 x 12	2,352	●
70 x 15	2,940	●
70 x 20	3,920	●
70 x 25	4,900	●
70 x 30	5,881	●
70 x 35	6,800	●
70 x 40	7,841	●
70 x 50	9,800	●
75 x 5	1,051	○
75 x 10	2,100	○
75 x 20	4,054	○
80 x 2	0,448	○
80 x 3	0,672	●
80 x 4	0,896	●
80 x 5	1,120	●
80 x 6	1,344	●
80 x 8	1,792	●
80 x 10	2,240	●
80 x 12	2,688	●
80 x 15	3,360	●
80 x 20	4,480	●
80 x 25	5,600	●
80 x 30	6,720	●
80 x 35	7,840	○



# FLACHPROFILE

EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
80 x 40	8,960	●
80 x 50	11,200	●
80 x 60	13,440	●
90 x 3	0,756	○
90 x 4	1,008	○
90 x 5	1,260	●
90 x 6	1,512	○
90 x 8	2,016	○
90 x 10	2,520	●
90 x 15	3,780	●
90 x 20	5,040	●
90 x 25	6,300	●
90 x 30	7,560	●
90 x 35	8,82	○
90 x 40	10,080	○
100 x 2	0,560	○
100 x 3	0,840	○
100 x 4	1,120	●
100 x 5	1,400	●
100 x 6	1,680	●
100 x 8	2,240	●
100 x 10	2,800	●
100 x 12	3,360	●
100 x 15	4,200	●
100 x 20	5,600	●
100 x 25	7,000	●
100 x 30	8,400	●
100 x 35	9,800	○
100 x 40	11,200	●
100 x 50	14,000	●
100 x 60	16,800	○
110 x 10	3,080	○
110 x 30	9,240	○
120 x 4	1,344	○
120 x 5	1,680	●
120 x 6	2,016	○
120 x 8	2,688	●
120 x 10	3,360	●

● Lagervorrat | ○ kurzfristig lieferbar



# FLACHPROFILE

EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
120 x 12	4,032	●
120 x 15	5,040	●
120 x 20	6,720	●
120 x 25	8,400	●
120 x 30	10,080	●
120 x 40	13,440	●
120 x 50	16,800	○
120 x 60	20,160	○
125 x 10	3,500	○
130 x 5	1,820	○
130 x 8	2,912	○
130 x 10	3,640	●
130 x 15	5,460	○
130 x 20	7,280	●
140 x 5	1,960	○
140 x 10	3,920	●
140 x 15	5,880	●
140 x 20	7,840	○
150 x 3	1,260	○
150 x 5	2,100	●
150 x 8	3,360	○
150 x 10	4,200	●
150 x 12	5,040	○
150 x 15	6,300	●
150 x 20	8,400	●
150 x 25	10,500	○
150 x 30	12,600	●
150 x 40	16,800	●
160 x 10	4,480	●
160 x 15	6,720	○
160 x 20	8,960	○
180 x 5	2,520	○
180 x 10	5,040	○
180 x 15	7,560	○
180 x 20	10,080	○
200 x 5	2,800	○
200 x 8	4,480	○
200 x 10	5,600	●

● Lagervorrat | ○ kurzfristig lieferbar



# FLACHPROFILE



EN AW-6060 T66 - EN 573-3, 755-1/-2/-5 | gepresst in Herstellungslängen von ca. 6 m

B x H mm	kg/m	6060
200 x 15	8,400	●
200 x 20	11,200	●
200 x 30	16,800	○
250 x 10	7,000	●
250 x 15	10,500	○
250 x 20	14,000	○
300 x 10	8,400	○
300 x 15	12,600	○
300 x 20	16,800	○

- Lagervorrat | ○ kurzfristig lieferbar